

# Some applications of possibilistic mean value, variance, covariance and correlation

**Christer Carlsson**

IAMSR, Åbo Akademi University,  
Lemminkäinenengatan 14B, FIN-20520 Åbo, Finland  
e-mail: christer.carlsson@abo.fi

**Robert Fullér**<sup>1</sup>

Department of Operations Research, Eötvös Loránd University,  
Pázmány Péter sétány 1C, H-1117 Budapest, Hungary  
e-mails: rfuller@cs.elte.hu, rfuller@mail.abo.fi

*Abstract:* In 2001 we introduced the notions of possibilistic mean value and variance of fuzzy numbers. In this paper we list some works that use these notions. We shall mention some application areas as well.

## 1 Possibilistic mean value, variance, covariance and correlation

A *fuzzy number*  $A$  is a fuzzy set  $\mathbb{R}$  with a normal, fuzzy convex and continuous membership function of bounded support. The family of fuzzy numbers is denoted by  $\mathcal{F}$ . Fuzzy numbers can be considered as possibility distributions [11, 15]. A fuzzy set  $C$  in  $\mathbb{R}^2$  is said to be a joint possibility distribution of fuzzy numbers  $A, B \in \mathcal{F}$ , if it satisfies the relationships  $\max\{x \mid C(x, y)\} = B(y)$  and  $\max\{y \mid C(x, y)\} = A(x)$  for all  $x, y \in \mathbb{R}$ . Furthermore,  $A$  and  $B$  are called the marginal possibility distributions of  $C$ . Let  $A \in \mathcal{F}$  be fuzzy number with a  $\gamma$ -level set denoted by  $[A]^\gamma = [a_1(\gamma), a_2(\gamma)]$ ,  $\gamma \in [0, 1]$ . A function  $f: [0, 1] \rightarrow \mathbb{R}$  is said to be a weighting function if  $f$  is non-negative, monoton increasing and satisfies the following normalization condition

$$\int_0^1 f(\gamma) d\gamma = 1.$$

---

<sup>1</sup>Partially supported by the BME Mobil Innovation Centre, Integrated Project No. 2.2: Optimal Design of Network Resources, funded by the Hungarian National Office for Research and Technology.

Different weighting functions can give different (case-dependent) importances to  $\gamma$ -levels sets of fuzzy numbers. It is motivated in part by the desire to give less importance to the lower levels of fuzzy sets [14] (it is why  $f$  should be monotone increasing).

The  $f$ -weighted *possibilistic mean value* of  $A \in \mathcal{F}$ , defined in [12], is defined as

$$E_f(A) = \int_0^1 E(U_\gamma) f(\gamma) d\gamma = \int_0^1 \frac{a_1(\gamma) + a_2(\gamma)}{2} f(\gamma) d\gamma,$$

where  $U_\gamma$  is a uniform probability distribution on  $[A]^\gamma$  for all  $\gamma \in [0, 1]$ . If  $f(\gamma) = 1$  for all  $\gamma \in [0, 1]$  then we get

$$E(A) = \int_0^1 E(U_\gamma) f(\gamma) d\gamma = \int_0^1 \frac{a_1(\gamma) + a_2(\gamma)}{2} d\gamma,$$

which the possibilistic mean value of  $A$  originally introduced in [3].

The  $f$ -weighted *possibilistic variance* of  $A \in \mathcal{F}$ , defined in [12], can be written as

$$\text{Var}_f(A) = \int_0^1 \sigma_{U_\gamma}^2 f(\gamma) d\gamma = \int_0^1 \frac{(a_2(\gamma) - a_1(\gamma))^2}{12} f(\gamma) d\gamma.$$

If  $f(\gamma) = 1$  for all  $\gamma \in [0, 1]$  then we get

$$\text{Var}(A) = \int_0^1 \sigma_{U_\gamma}^2 d\gamma = \int_0^1 \frac{(a_2(\gamma) - a_1(\gamma))^2}{12} d\gamma.$$

which the possibilistic variance of  $A$  originally introduced in [3].

The  $f$ -weighted *measure of possibilistic covariance* between  $A, B \in \mathcal{F}$ , (with respect to their joint distribution  $C$ ), defined by [13], can be written as

$$\text{Cov}_f(A, B) = \int_0^1 \text{Cov}(X_\gamma, Y_\gamma) f(\gamma) d\gamma,$$

where  $X_\gamma$  and  $Y_\gamma$  are random variables whose joint distribution is uniform on  $[C]^\gamma$  for all  $\gamma \in [0, 1]$ .

The  $f$ -weighted *possibilistic correlation* of  $A, B \in \mathcal{F}$ , (with respect to their joint distribution  $C$ ), defined in [9], can be written as

$$\rho_f(A, B) = \frac{\int_0^1 \text{cov}(X_\gamma, Y_\gamma) f(\gamma) d\gamma}{\left( \int_0^1 \sigma_{U_\gamma}^2 f(\gamma) d\gamma \right)^{1/2} \left( \int_0^1 \sigma_{V_\gamma}^2 f(\gamma) d\gamma \right)^{1/2}}$$

where  $V_\gamma$  is a uniform probability distribution on  $[B]^\gamma$ . Thus, the possibilistic correlation represents an average degree to which  $X_\gamma$  and  $Y_\gamma$  are linearly associated as compared to the dispersions of  $U_\gamma$  and  $V_\gamma$ .

It is clear that the standard probabilistic calculation is not used here. Really, a standard probabilistic calculation might be the following

$$\frac{\int_0^1 \text{cov}(X_\gamma, Y_\gamma) f(\gamma) d\gamma}{\left( \int_0^1 \sigma_{X_\gamma}^2 f(\gamma) d\gamma \right)^{1/2} \left( \int_0^1 \sigma_{Y_\gamma}^2 f(\gamma) d\gamma \right)^{1/2}}.$$

That is, the standard probabilistic approach would use the marginal distributions,  $X_\gamma$  and  $Y_\gamma$ , of a uniformly distributed random variable on the level sets of  $[C]^\gamma$ .

**Theorem 1.1** ([9]). *If  $[C]^\gamma$  is convex for all  $\gamma \in [0, 1]$  then  $-1 \leq \rho_f(A, B) \leq 1$  for any weighting function  $f$ .*

## 2 Applications

The possibilistic mean value, variance, covariance and correlation have been extensively used in our later works for real option valuation [4, 8], project selection [2, 5, 6, 10], capital budgeting [1] and optimal portfolio selection [7]. The concept of possibilistic mean value and variance is used in many different areas and by many different authors (see [16-63]). For example, these notions are applied by Zhang, et al [16] when they investigate possibilistic mean-variance models in portfolio selection problems; Dutta et al [17] when they investigate a continuous review inventory model in a mixed fuzzy and stochastic environment; Thiagarajah et al [20] when they introduce an option valuation model with adaptive fuzzy numbers; Dubois [23] when he discusses possibility theory and statistical reasoning; Beynon and Munday [25] when they elucidate of multipliers and their moments in fuzzy closed Leontief input-output systems; Zarandi et al [41] when they present an intelligent agent-based system for reduction of the bullwhip effect in supply chains; Lazo et al [51] when they determine of real options value by Monte Carlo simulation and fuzzy numbers. The notion of possibilistic correlation is used in [64-65]. The notions of  $f$ -weighted possibilistic mean value and variance are used in [66-77]. For example, Zhang and Li [73] use these notions to portfolio selections problems with quadratic utility function in a fuzzy environment; and Garcia [76] uses these notions to fuzzy real option valuation in a power station reengineering project.

## References

- [1] C. Carlsson and R. Fullér, Capital budgeting problems with fuzzy cash flows, *Mathware and Soft Computing*, 6(1999) 81-89.
- [2] C. Carlsson and R. Fullér, Real option evaluation in fuzzy environment, in: *Proceedings of the International Symposium of Hungarian Researchers on Computational Intelligence*, Budapest Polytechnic, 2000 69-77.
- [3] C. Carlsson, R. Fullér, On possibilistic mean value and variance of fuzzy numbers, *Fuzzy Sets and Systems*, 122(2001) 315-326.
- [4] C. Carlsson and R. Fullér, On optimal investment timing with fuzzy real options, in: *Proceedings of the EUROFUSE 2001 Workshop on Preference Modelling and Applications*, 2001 235-239.
- [5] C. Carlsson, R. Fullér, and P. Majlender, Project selection with fuzzy real options, in: *Proceedings of the Second International Symposium of Hungarian Researchers on Computational Intelligence*, 2001 81-88
- [6] C. Carlsson, R. Fullér, Project scheduling with fuzzy real options, in: Robert Trappl ed., *Cybernetics and Systems '2002, Proceedings of the Sixteenth European Meeting on Cybernetics and Systems Research*, Vienna, April 2-4, 2002, Austrian Society for Cybernetic Studies, 2002 511-513.
- [7] C. Carlsson, R. Fullér, and P. Majlender, A possibilistic approach to selecting portfolios with highest utility score, *Fuzzy Sets and Systems*, 131(2002) 13-21
- [8] C. Carlsson and R. Fullér, A fuzzy approach to real option valuation, *Fuzzy Sets and Systems*, 139(2003) 297-312
- [9] C. Carlsson, R. Fullér and P. Majlender, On possibilistic correlation, *Fuzzy Sets and Systems*, 155(2005) 425-445.
- [10] C. Carlsson, R. Fullér and P. Majlender, A fuzzy real options model for R&D project evaluation, in: Y. Liu, G. Chen and M. Ying eds., *Proceedings of the Eleventh IFSA World Congress*, Beijing, China, July 28-31, 2005, Tsinghua University Press and Springer, Beijing, 2005 1650-1654.
- [11] D. Dubois and H. Prade, *Possibility Theory: An Approach to Computerized Processing of Uncertainty*, Plenum Press, New York, 1988.
- [12] R. Fullér and P. Majlender, On weighted possibilistic mean and variance of fuzzy numbers, *Fuzzy Sets and Systems*, 136(2003) 363-374.

- [13] R. Fullér and P. Majlender, On interactive fuzzy numbers, *Fuzzy Sets and Systems*, 143(2004) 355-369
- [14] R. Goetschel and W. Voxman, Elementary Fuzzy Calculus, *Fuzzy Sets and Systems*, 18(1986) 31-43.
- [15] L. A. Zadeh, Concept of a linguistic variable and its application to approximate reasoning, **I, II, III**, *Information Sciences*, 8(1975) 199-249, 301-357; 9(1975) 43-80.
- [16] Zhang, W.-G., Wang, Y.-L., Chen, Z.-P., Nie, Z.-K., Possibilistic mean-variance models and efficient frontiers for portfolio selection problem, *INFORMATION SCIENCES*, 177 (13), pp. 2787-2801 2007
- [17] Dutta, P., Chakraborty, D., Roy, A.R., Continuous review inventory model in mixed fuzzy and stochastic environment, *APPLIED MATHEMATICS AND COMPUTATION*, 188 (1), pp. 970-980. 2007
- [18] Thavaneswaran A, Thiagarajah K, Appadoo SS Fuzzy coefficient volatility (FCV) models with applications, *MATHEMATICAL AND COMPUTER MODELLING* 45 (7-8): 777-786 APR 2007
- [19] Vercher E, Bermudez JD, Segura JV Fuzzy portfolio optimization under downside risk measures, *FUZZY SETS AND SYSTEMS* 158 (7): 769-782 APR 1 2007
- [20] Thiagarajah, K., Appadoo, S.S., Thavaneswaran, A. Option valuation model with adaptive fuzzy numbers, *COMPUTERS AND MATHEMATICS WITH APPLICATIONS*, 53 (5), pp. 831-841. 2007
- [21] Fang Y, Lai KK, Wang SY, Portfolio rebalancing model with transaction costs based on fuzzy decision theory, *EUROPEAN JOURNAL OF OPERATIONAL RESEARCH* 175 (2): 879-893 DEC 1 2006
- [22] Yoshida Y, Yasuda M, Nakagami JI, et al. A new evaluation of mean value for fuzzy numbers and its application to American put option under uncertainty, *FUZZY SETS AND SYSTEMS* 157 (19): 2614-2626 OCT 1 2006
- [23] Dubois D, Possibility theory and statistical reasoning, *COMPUTATIONAL STATISTICS & DATA ANALYSIS* 51 (1): 47-69 NOV 1 2006
- [24] Stefanini L, Sorini L, Guerra ML, Parametric representation of fuzzy numbers and application to fuzzy calculus, *FUZZY SETS AND SYSTEMS* 157 (18): 2423-2455 SEP 16 2006

- [25] Beynon MJ, Munday M, The elucidation of multipliers and their moments in fuzzy closed Leontief input-output systems, *FUZZY SETS AND SYSTEMS* 157 (18): 2482-2494 SEP 16 2006
- [26] Hashemi SM, Modarres M, Nasrabadi E, et al., Fully fuzzified linear programming, solution and duality, *JOURNAL OF INTELLIGENT & FUZZY SYSTEMS* 17 (3): 253-261 2006
- [27] Facchinetti G, Pacchiarotti N, Evaluations of fuzzy quantities, *FUZZY SETS AND SYSTEMS* 157(7): 892-903 APR 1 2006
- [28] Bodjanova S, Median alpha-levels of a fuzzy number, *FUZZY SETS AND SYSTEMS*, 157(7): 879-891 APR 1 2006
- [29] Sheen, J.N. Generalized fuzzy numbers comparison by geometric moments *WSEAS Transactions on Systems*, 5 (6), pp. 1237-1242 2006
- [30] Xinwang Liu, On the maximum entropy parameterized interval approximation of fuzzy numbers, *FUZZY SETS AND SYSTEMS*, 157 869-878. 2006
- [31] Cheng CB, Fuzzy process control: construction of control charts with fuzzy numbers, *FUZZY SETS AND SYSTEMS*, 154 (2): 287-303 SEP 1 2005
- [32] Ayala G, Leon T, Zapater V, Different averages of a fuzzy set with an application to vessel segmentation, *IEEE TRANSACTIONS ON FUZZY SYSTEMS*, 13 (3): 384-393 JUN 2005
- [33] Hong DH, Kim KT, A note on weighted possibilistic mean, *FUZZY SETS AND SYSTEMS* 148 (2): 333-335 DEC 1 2004
- [34] Jahanshahloo GR, Soleimani-damaneh M, Nasrabadi E, Measure of efficiency in DEA with fuzzy input-output levels: a methodology for assessing, ranking and imposing of weights restrictions, *APPLIED MATHEMATICS AND COMPUTATION*, 156 (1): 175-187 AUG 25 2004.
- [35] Eugene Roventa and Tiberiu Spiricu, Averaging procedures in defuzzification processes, *FUZZY SETS AND SYSTEMS*, 136(2003) 375-385. 2003
- [36] Gisella Facchinetti, Ranking Functions Induced by Weighted Average of Fuzzy Numbers, *FUZZY OPTIMIZATION AND DECISION MAKING*, 1 pp. 313-327. 2002
- [37] Zhang WG, Chen QQ, Lan HL, A portfolio selection method based on possibility theory, *LECTURE NOTES IN COMPUTER SCIENCE* 4041: 367-374. 2006

- [38] Yoshida Y, A defuzzification method of fuzzy numbers induced from weighted aggregation operations, LECTURE NOTES IN ARTIFICIAL INTELLIGENCE 3885: 161-171. 2006
- [39] Yoshida, Y. Mean values of fuzzy numbers with evaluation measures and the measurement of fuzziness, Proceedings of the 9th Joint Conference on Information Sciences, JCIS 2006, art. no. 298, doi:10.2991/jcis.2006.298. 2006
- [40] Yoshida, Y. Mean values of fuzzy numbers and the measurement of fuzziness by evaluation measures, 2006 IEEE Conference on Cybernetics and Intelligent Systems, art. no. 4017804, pp. 1-6. 2006
- [41] Zarandi, M.H.F., Pourakbar, M., Turksen, I.B. An intelligent agent-based system for reduction of bullwhip effect in supply chains, IEEE International Conference on Fuzzy Systems, art. no. 1681782, pp. 663-670. 2006
- [42] Liu, H., Brown, D.J., An extension to fuzzy qualitative trigonometry and its application to robot kinematics, IEEE International Conference on Fuzzy Systems, art. no. 1681849, pp. 1111-1118. 2006
- [43] Wang, X., Xu, W., Zhang, W., Hu, M. Weighted possibilistic variance of fuzzy number and its application in portfolio theory LECTURE NOTES IN COMPUTER SCIENCE (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics), 3613 LNAI, pp. 148-155. 2006
- [44] Dubois, D., Fargier, H., Fortin, J., The empirical variance of a set of fuzzy intervals, IEEE International Conference on Fuzzy Systems, pp. 885-890. 2005
- [45] Zhang WG, Wang YL, Using fuzzy possibilistic mean and variance in portfolio selection model, LECTURE NOTES IN ARTIFICIAL INTELLIGENCE 3801: 291-296. 2005
- [46] Zhang WG, Liu WA, Wang YL, A class of possibilistic portfolio selection models and algorithms, LECTURE NOTES IN COMPUTER SCIENCE, 3828: 464-472. 2005
- [47] T. Sato, S. Takahashi, C. Huang and H. Inoue, Option pricing with fuzzy barrier conditions, in: Y. Liu, G. Chen and M. Ying eds., *Proceedings of the Eleventh International Fuzzy systems Association World Congress*, July 28-31, 2005, Beijing, China, 2005 Tsinghua University Press and Springer, [ISBN 7-302-11377-7] 380-384. 2005

- [48] Zhang, J.-P., Li, S.-M. Portfolio selection with quadratic utility function under fuzzy environment, 2005 International Conference on Machine Learning and Cybernetics, ICMLC 2005, pp. 2529-2533. 2005
- [49] Yoshida, Y. Mean values of fuzzy numbers by evaluation measures and its measurement of fuzziness, Proceedings - International Conference on Computational Intelligence for Modelling, Control and Automation, CIMCA 2005 and International Conference on Intelligent Agents, Web Technologies and Internet, 2, art. no. 1631462, pp. 163-169. 2005
- [50] Blankenburg, B., Klusch, M. BSCA-F: Efficient fuzzy valued stable coalition forming among agents, Proceedings - 2005 IEEE/WIC/ACM International Conference on Intelligent Agent Technology, IAT'05, 2005, art. no. 1565632, pp. 732-738. 2005
- [51] Lazo, J.G.L., Vellasco, M.M.B.R., Pacheco, M.A.C. Determination of real options value by Monte Carlo simulation and fuzzy numbers Proceedings - HIS 2005: Fifth International Conference on Hybrid Intelligent Systems, 2005, art. no. 1587794, pp. 488-493. 2005
- [52] Yoshida Y, A mean estimation of fuzzy numbers by evaluation measures, in: Mircea Gh. Negoita, Robert J. Howlett, Lakhmi C. Jain eds., Knowledge-Based Intelligent Information and Engineering Systems: 8th International Conference, KES 2004, Wellington, New Zealand, September 20-25, 2004, Proceedings, LECTURE NOTES IN COMPUTER SCIENCE, 3214, pp. 1222-1229. 2004
- [53] Garcia, F.A.A. Fuzzy real option valuation in a power station reengineering project Soft Computing with Industrial Applications - Proceedings of the Sixth Biannual World Automation Congress, pp. 281-287 2004
- [54] Collan, M. Fuzzy real investment valuation model for very large industrial real investments, Soft Computing with Industrial Applications - Proceedings of the Sixth Biannual World Automation Congress, pp. 379-384. 2004
- [55] L. Spircu and T. Spircuin, Fuzzy Treatment of American Call Options, *Proceedings of the Tenth International Conference on Information Processing and Management of Uncertainty in Knowledge-Based Systems IPMU'2004*, July 4-9, 2004, Perugia, Italy, 1841-1846. 2004
- [56] Wang, X., Xu, W.-J., Zhang, W.-G. A class of weighted possibilistic mean-variance portfolio selection problems Proceedings of 2004 International Conference on Machine Learning and Cybernetics, 4, pp. 2036-2040. 2004

- [57] Wang, G.-X., Zhao, C.-H. Characterization of discrete fuzzy numbers and application in adaptive filter algorithm Proceedings of 2004 International Conference on Machine Learning and Cybernetics, 3, pp. 1850-1854. 2004
- [58] Fang Y, Lai KK, Wang SY, A fuzzy approach to portfolio rebalancing with transaction costs, COMPUTATIONAL SCIENCE - ICCS 2003, PT II, PROCEEDINGS, LECTURE NOTES IN COMPUTER SCIENCE, Springer-Verlag, Heidelberg, Vol. 2658, 10-19. 2003
- [59] Wei-Guo Zhang, Zan-Kan Nie, On Possibilistic Variance of Fuzzy Numbers, in: G. Wang, Q. Liu, Y. Yao, A. Skowron eds, *Rough Sets, Fuzzy Sets, Data Mining, and Granular Computing: 9th International Conference*, RSFDGrC 2003, Chongqing, China, May 26-29, 2003, LECTURE NOTES IN COMPUTER SCIENCE, Volume 2639/2003, Springer, 398-402. 2003
- [60] Zhihuang Dai, Michael J. Scott, Zissimos P. Mourelatos, Incorporating epistemic uncertainty in robust design, in: *Proceedings of the 2003 ASME Design Engineering Technical Conferences (DETC 2003)*, September 2-6, 2003, Chicago, Illinois, USA, (DAC-48713.pdf). 2003
- [61] G.M. Peschland and H.F. Schweiger, Reliability Analysis in Geotechnics with Finite Elements – Comparison of Probabilistic, Stochastic and Fuzzy Set Methods, in: *Proceedings of the 3rd International Symposium on Imprecise Probabilities and Their Applications (ISIPTA '03)*, Carleton Scientific Proceedings in Informatics 18, University of Lugano, Lugano, Switzerland, 14-17 July 2003, (033.pdf). 2003
- [62] Zhang, W.-G., Zhang, Q.-M., Nie, Z.-K. A class of fuzzy portfolio selection problems International Conference on Machine Learning and Cybernetics, 5, pp. 2654-2658. 2003
- [63] Díaz-Hermida, F., Carinena, P., Bugarín, A., Barro, S. Modelling of task-oriented vocabularies: An example in fuzzy temporal reasoning, IEEE International Conference on Fuzzy Systems 1, pp. 43-46. 2001
- [64] Mizukoshi, M.T., Barros, L.C., Chalco-Cano, Y., Roman-Flores, H., Basanezi, R.C., Fuzzy differential equations and the extension principle, INFORMATION SCIENCES, 177 (17), pp. 3627-3635. 2007
- [65] Matia F, Jimenez A, Al-Hadithi BM, et al. The fuzzy Kalman filter: State estimation using possibilistic techniques, FUZZY SETS AND SYSTEMS 157 (16): 2145-2170 AUG 16 2006

- [66] Matia F, Jimenez A, Al-Hadithi BM, et al. The fuzzy Kalman filter: State estimation using possibilistic techniques, FUZZY SETS AND SYSTEMS 157 (16): 2145-2170 AUG 16 2006
- [67] Xinwang Liu, On the maximum entropy parameterized interval approximation of fuzzy numbers, FUZZY SETS AND SYSTEMS, 157(2006) 869-878. 2006
- [68] Ayala G, Leon T, Zapater V, Different averages of a fuzzy set with an application to vessel segmentation, IEEE TRANSACTIONS ON FUZZY SYSTEMS, 13(3): 384-393 JUN 2005
- [69] Cheng CB, Fuzzy process control: construction of control charts with fuzzy numbers, FUZZY SETS AND SYSTEMS 154 (2): 287-303 SEP 1 2005
- [70] Bodjanova S, Median value and median interval of a fuzzy number, INFORMATION SCIENCES 172 (1-2): 73-89 JUN 9 2005
- [71] Hong DH, Kim KT, A note on weighted possibilistic mean, FUZZY SETS AND SYSTEMS 148 (2): 333-335 DEC 1 2004
- [72] Wang X, Xu WJ, Zhang WG, et al., Weighted possibilistic variance of fuzzy number and its application in portfolio theory, LECTURE NOTES IN ARTIFICIAL INTELLIGENCE 3613: 148-155 2005
- [73] Zhang WG, Wang YL, Portfolio selection: Possibilistic mean-variance model and possibilistic efficient frontier LECTURE NOTES IN COMPUTER SCIENCE 3521: 203-213 2005
- [74] Zhang, J.-P., Li, S.-M. Portfolio selection with quadratic utility function under fuzzy environment 2005 International Conference on Machine Learning and Cybernetics, ICMLC 2005, pp. 2529-2533. 2005
- [75] Blankenburg, B., Klusch, M. BSCA-F: Efficient fuzzy valued stable coalition forming among agents Proceedings - 2005 IEEE/WIC/ACM International Conference on Intelligent Agent Technology, IAT'05, 2005, art. no. 1565632, pp. 732-738. 2005
- [76] Garcia, F.A.A. Fuzzy real option valuation in a power station reengineering project Soft Computing with Industrial Applications - Proceedings of the Sixth Biannual World Automation Congress, pp. 281-287. 2004
- [77] Wang, X., Xu, W.-J., Zhang, W.-G. A class of weighted possibilistic mean-variance portfolio selection problems Proceedings of 2004 International Conference on Machine Learning and Cybernetics, 4, pp. 2036-2040. 2004